


Server | VS50

Certified Server for VoSKY Exchange



The VoSKY Server VS50 is a cost-effective, enterprise-grade server for the VoSKY Exchange PBX-to-Skype gateway. Designed specifically for VoSKY Exchange, the VS50 ensures optimal performance and reliability for mission critical Skype for business applications.

The VoSKY Server VS50 has been fully certified to work with all VoSKY Exchange models (9000, 9040, 9140). Utilizing the latest Intel dual-core processor technology, and energy-efficient DDR2 memory, the system is capable of running with lower power consumption without sacrificing power.

Technical Specifications

Features	Descriptions
Operating System	Windows XP SP2
CPU	Intel Core2 Duo E8400 3.0 GHz processor
Memory	1 GB RAM DDR2
Hard Drive	80 GB SATA, 7200 rpm, 8MB cache
Optical Drive	CD drive
Power Supply	240 Watt
Front LED Indicators	Power and HDD
Dimensions (W x D x H)	12.2 x 15.7 x 3.6 inches
Front Panel Control	Power on/off, USB x2, headset, and microphone
Rear Panel Connectors	LAN, VGA, serial, printer, USB x4, mouse PS/2, keyboard PS/2, power, audio in/out/mic
Color	Black



Key Features

- Fully certified for use with VoSKY Exchange models 9000, 9040 & 9140
- Configurable as either a tower or a desktop
- Small form factor, space saving design
- Low-cost, energy efficient, yet powerful
- Reliable. System is always on, and will power on automatically in case of power outage.

Corporate Office

760 N. Mary Avenue, Sunnyvale, CA 94085

Main: (408) 731-3900

Tech Support: (719) 884-7417

Sales Info: (866) 341-3285

Tech Support Fax: (719) 522-9421

Fax: (408) 541-9003

Internet: www.vosky.com

© 2007 VoSKY

VoSKY, the VoSKY logo, and *Your Ultimate Gateway to Skype*, are trademarks or registered trademarks of Actiontec Electronics, Inc. Skype, the Skype logo, SkypeOut, Skypeln, SkypeCall, and SkypeWeb are trademarks or registered trademarks of Skype Limited. All other names are properties of their respective owners.

Product photo may differ from actual product, however functionality remains as stated above. Specifications are subject to change without notice.